



SCAFFOLDING, WELDING, SHOP EQUIPMENT & CONSTRUCTION PRODUCTS



BUILD YOUR OWN INTERIOR SCAFFOLD TOWER SYSTEM

SINGLE, DOUBLE AND TRIPLE HEIGHT SCAFFOLD

- Powder Coat Paint Finish
- Can Be Stacked Up To 3 High
- Interior Or Exterior Use
- 1/2" Deck w/Steel Frame
- 1,000 lb Load Capacity
- Meets OSHA and ANSI scaffolding regulations



SINGLE HEIGHT SCAFFOLD

Pkg. Type Color Label

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
GSSI	0 27077 05626 6	1/1	141.0 lbs	8.95

GSSI Unit includes 4 pieces of 5" Swivel Castors



DOUBLE & TRIPLE HEIGHT SCAFFOLD

Pkg. Type Color Label

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
TOWERINT	0 27077 07099 6	1/1	434.0	47.2
TOWERINT3	0 27077 08460 3	1/1	566.0	56.7

To Build TOWERINT or TOWERINT3, you will need:

- A) 2 or 3 each GSSI 6' Multi-Use Scaffolding
- B) 1 each GSGRSU Scaffolding Guard Rail System
- C) 1 each GSAOSET 4 Piece 18" Outrigger Set
- D) 8 each GSSI-C5 5" Swivel Castors

OUTRIGGERS

4 PIECE SET INCLUDES CASTERS



- Extends The Width Of The Base Up to 18" with casters extend-

Pkg. Type Brown Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
GSORWCS	0 27077 08207 4	1	46.2	2.63

ADJUSTABLE OUTRIGGERS

4 PIECE SET WITHOUT CASTERS



- Adjustable 18 Inch Extension
- 9 settings: 20"-33"

Pkg. Type Brown Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
GSAOSET	0 27077 08429 0	1	38.0	1.8

GUARD RAIL

SAFETY SYSTEM WITH DOORS

- Powder Coat Paint Finish
- Size: 69 1/2" L x 42 1/2" H x 28 1/2" W



Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
GSGRSU	0 27077 07659 2	1/1	63.8 lbs	4.90

SWIVEL CASTERS

5 INCH

- For GSORSET
- Dual Locking
- Non-Marring



Pkg. Type Bulk

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
GSSI-C5	0 27077 05920 5	8/1	26.0 lbs	0.529
GSSI-C54P	0 27077 09424 4	1/1	13.6 lbs	0.54

BUILD YOUR OWN EXTERIOR SCAFFOLD TOWER SYSTEM

5 FT X 5 FT

SCAFFOLD FRAME

- 1-5/8" Outside Diameter (1-3/8" I.D.)
- Powder Coat Paint Finish
- Heavy Duty Steel Construction
- Gravity Brace Locks
- Stacking Pins Included



Pkg. Type BULK


(1)

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
GSF55	0 27077 05622 8	1/1	42.0 lbs	4.0

7 FT

CROSS BRACE

- Heavy Duty Angle Iron
- Powder Coat Paint Finish



Pkg. Type BULK

(2)

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
GSCB7	0 27077 05623 5	6/1	14.0 lbs	2.0

31 INCH

ADJUSTABLE STEM JACK

- 18" Threaded Adjustment
- Galvanized Finish



Pkg. Type BULK

(3)

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
GSASJ *	0 27077 05625 9	1/1	12.5 lbs	0.65
GSASJ-4	0 27077 07507 6	1/1	48.0 lbs	

4 PIECE

CONNECTOR PINS

- 2-1/2" Length
- 3/8" Diameter
- Attached Locking Latch



Pkg. Type BULK

(4)

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
GSPIN *	0 27077 05874 1	72/12	36.0 lbs	0.77

WALK BOARDS

750 Lb Load Capacity

- Aluminum & Wood Non Slip Deck
- All Aluminum Deck




Pkg. Type BULK

(7)

Replaceable Hooks

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
GSWDB	0 27077 05930 4	1/1	29.0	2.37
GSAPB	0 27077 05929 8	1/1	30.0	2.8




- Mobile Units Require Casters
- Stationary Units Require Plain Base Plate
- Connector Pins Required with Base Plate & Casters
- Adjustable Stems Jack Required When Using
- Plain Base Plate Or Casters



5" X 5" PLAIN BASE PLATE

- For Stationary Scaffold Units
- 4" High Stem, 1/2" Hole
- Galvanized Finish
- Weight - 2.5 Lbs Each

- Add A Stem Jack For Adjustable Height (Requires Connector Pin)



Pkg. Type BULK


(6)

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
GSBP 0 27077 05873 4		20/1	39.0 lbs	1.70
GSBP4 0 27077 07508 3		1	15.9 lbs	1.08

8 INCH HEAVY DUTY CASTER

- For Mobile Scaffold Units
- 800 Lb. Load Capacity
- 8" x 2" Non Marking Wheel
- 1-3/8" Stem, 1/2" Hole
- Dual Locking With Foot Brake
- Weight - 12.5 Lbs Each


- Add A Stem Jack For An Adjustable Caster (Requires Connector Pin)



Pkg. Type BULK

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
GSC8 0 27077 05624 2		4/1	50.0 lbs	0.80

5 FT / 7 FT GUARD RAILS



Pkg. Type BULK

(8)
(9)

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
GSGR5 * 0 27077 05932 8		1/1	4.0 lbs	0.04
GSGR5-4 0 27077 07705 6		1/1	20.0 lbs	0.04
GSGR7 0 27077 05933 5		1/1	5.0 lbs	0.07
GSGR7-4 * 0 27077 07704 9		1/1	20.0 lbs	0.07

40 INCH GUARD POST

- Powder Coat Paint Finish
- 1-3/8" Interior Diameter
- Weight - 8 lbs Each

(10)


Pkg. Type BULK

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
GSGP 0 27077 05931 1		1/1	8.0 lbs	0.10


CONFIGURE YOUR SCAFFOLD TO MEET YOUR NEEDS



TOWEREXTA
Two Story Tower - Stationary



TOWEROUT 16' x 7' x 5'
Two Story Tower w/ Casters



TOWER3
Three Story Tower w/ Casters



TOWER3A
Three Story Tower - Stationary



GSF575C
One Story Tower w/ Casters



GSF575B
One Story Tower w/ Base Plate

70 AMP ARC WELDER



- Amperage Output:
- 50 (Low), 70 (High)
- Includes Welding Cable & Electrode Holder, Grounding Cable Earth Clamp, Clipping Hammer/Brush & Welding Face Shield
- Advanced Thermal Overload
- Welds Carbon Steel Up To 1/8" In A Single Pass



Pkg. Type Color Box

229683

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
HIT70	0 27077 08113 8	1	9.3	1.2

WELDERS

125 AMP FLUX-CORED WELDER KIT



- Welds All Types Of Carbon Steel
- Welds With Flux-cored Wire (No Gas)
- Thermal Overload Protection
- Amps: 80 (Max 125)
- Duty Cycle 20% @ 80 AMPS Wire • Size: .030 - .035
- Heat Settings: Two
- MAX Metal Thickness: 18 Gauge / 3/16"



Pkg. Type Color Box

229683

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
HIT125	0 27077 08114 5	1	14.6 lbs	0.89

140 AMP MIG WELDER



- Welds Carbon Steel Between 1.2mm-3.0mm
- With Infinite Heat/Voltage Settings
- Overload & Thermal Protection
- 25 - 140 AMP WELDING RANGE
- Includes Torch, Dual Gauge Regulator, Gas Hose With Built-in Gas Valve
- TWECO Type MIG Gun With 0.030 Contact Tip



Pkg. Type Color Box

229683

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
HIT140	0 27077 08115 2	1	19.2 lbs	1.30



DUAL FUEL GENERATOR PLUS STICK WELDER / TIG READY

4,000 SURGE WATT 3,500 RUNNING WATTS

- 120 Volt ARC Welder
- Includes Electrode holder and Earth clamp
- Face Mask with Vision Filter and Brush & Hammer included
- 7.0 HP engine, recoil start
- 1 - 120V RV Outlet
- 4 - 120V Outlets
- 9 hours @ 50% load Gas
- 12 hours @ 50% load LP

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
GEN4000DF-STW	0 27077 08392 7	1	102.0	6.17

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
HITEH12	0 27077 08721 5	30	66.0	1.25

ADJUSTABLE
WELDING TABLE



- Five Positive Stops Provide Variety Of Angle Positions
- Weld Parts And Components On A Steady Surface
- Easily Clamp Your Material With Four Table Slots
- Retractable Edge Guides
- Create Larger Work Area By Joining Additional Table

Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
WDTB 0 27077 08473 3		1	38.0	1.70





VEHICLE RACKS FOR MATERIAL HAULING

CARGO TRUCK RACK

- 500 Lbs Load Capacity
- Keeps Bed Free For Bulky Cargo
- 2 Inch Diameter Tubular Steel
- Adjustable Height (Up To 26" Tongue Height)

Heavy Duty 1/4" x 14" Foot Plates Spread Load Along Truck Bed Rail.

Use As A Single Front-Mounted Rack To Support Long Items In The Bed.

Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
HTCARG	0 27077 06774 3	1/1	44.3 lbs	2.5



FULL SIZE TRUCK RACK

- 800 Lbs Load Capacity
- Rack Extends Over Cab Of Truck
- Adjustable Center Brace
- Constructed Of 14 Gauge Steel

Rack Extends Over Cab Of Truck For Safer Use With Long Cargo.

Center Cross Brace Is Adjustable For Perfect Weight Distribution.

Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
HTRACKC	0 27077 06042 3	1/1	147.0 lbs	5.45



Y-STYLE SIDE MOUNT UTILITY TRUCK RACK

- 250 Lbs Load Capacity
- Frees up your truck bed
- No-drill installation with patented clamp mounting for easy permanent installa-



Pkg. Type Brown Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
AYMUTRACK	027077 08244 9	1	30	1.27



MULTI-USE TRUCK RACK

- 250 Lbs Load Capacity
- Mounts On Either Side Of The Truck



Bases Are Bolted To
Front & Rear Truck Bed.
Racks Slide Into Mounting Base
For Secure Installation.



Telescoping Support
Arms Adjust From
18"-32" And Tilt 0° Or 20°.

Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
HTMULT	0 27077 06772 9	1/0	51.0 lbs	1.13



MULTI-USE VAN RACK

- 500 Lbs Load Capacity
- Rope Hooks On Each Upright
- Adjusts From 58" to 80 3/4"

Tough 3/16" Thick Crossbar
Uprights Have Wide Base
To Spread Load Evenly.



Easily Attaches To Rain
Gutter. Three Height
Settings Reduce Wind
Noise.

Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
HTVANRK	0 27077 06773 6	1/0	32.0 lbs	0.90

4 POST ALUMINUM UTILITY TRUCK RACK

- 800 Lbs Load Capacity
- Frees up your truck bed
- Universal design fits long and short bed pickup trucks



Pkg. Type Brown Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
AUTRACK4	027077 08240 1	1	50.7	4.542





CONSTRUCTION



DRYWALL & PANEL HOIST

- All Welded Steel
- Easy Rolling Casters
- 150 Lb Capacity
- Holds Panels Up To 4 Ft x 16 Ft
- Easy Assembly
- Raises up to 11 Ft. High

Pkg. Type Color Label

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
DWHOIST	0 27077 06278 6	1/1	110.0 lbs	5.7
DWHE6	0 27077 06557 2	1/1	24.0 lbs	0.049

43" X 12" DRYWALL CART

- 3,000 Lb. Load Capacity
- Rolls on Four 8" Swivel Casters
- Durable Powder Coat Paint Finish
- Assembled Size:
49-3/4" L x 22-1/2" W x 47" H



Pkg. Type Color Label

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
DWCART	0 27077 06025 6	1/1	74.5 lbs	5.0

ADJUSTABLE DRYWALL STILTS

- Magnesium
- 225 Lb. Max Weight Capacity
- Dual Spring Action Allows Flexibility,
& A Natural Feel When Walking
- Adjustable Padded Leg Bands



Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
DSM2440	0 27077 08870 0	1 1/1	15.4 lbs	1.83



5 CUBIC FOOT GASOLINE POWERED CEMENT MIXER

- 2.5 HP Motor
- Full Thermal
Overload Protection
- Decibel rating: 101 dB
- Drum Speed:
24 RPM @ 2,800 RPM

Pkg. Type Brown Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
CMG5	0 27077 07172 6	1/1	165.0 lbs	20.1

STAINLESS STEEL PLATFORM TRUCK

- 500 lbs Capacity
- 201 Stainless Steel
- Overall Dimensions: 35.5"D x 33.5"H x 21.75"W
- Platform Dimension: 35.5"D x 21.57"W
- 4" Casters (non-locking)
- Does Not Fold



Pkg. Type Brown Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
FPT500SS	0 27077 08245 6	1	22.0	1.60

5 FT STEEL PLATFORM TRUCK

- 750 lbs Weight Capacity
- 2) Non-locking Casters
- 2) Locking Casters
- Powder Coat Paint Steel
- Knocks Down For Easy Storage



Pkg. Type Brown Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
PFCKD5	0 27077 08430 6	1	83.6	5.674

FOLDING PLATFORM TRUCKS

- Steel Hand Rail and PVC Platform
- 440- Platform Dimensions: 28.0"D x 19.0"W
- 660- Platform Dimensions: 36.0"D x 23.75"W
- 33"(34.5") from handle top to floor



Pkg. Type Brown Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
FPT440	0 27077 08220 3	1	23.1	1.91
FPT660	0 27077 08221 0	1	30.0	3.50

FOLDING PLATFORM TRUCK

- 330 lbs Capacity
- 4 Inch Caster Wheels (2 Swivel/2 Rigid)
- Rubber Bumper For Safety
- 19" x 29" Platform
- Handle Folds Parallel To Platform And Lays Flat For Storage



Pkg. Type Brown Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
FPTRUCK	0 27077 07937 1	1	17.3 lbs	1.6



TOOLS & ACCESSORIES



ELECTRIC MIGHTY PRO BLOWER

- 110V / 60Hz
- 500 Watts/13,000 RPM
- Strong Enough For Small,
- Lightweight Leaf & Yard Debris
- Weighs 3 Lbs



Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
PS07424	0 27077 07424 6	6/1	24.0	2.3



SUPER BRIGHT LED WORK LIGHT

- With 110–240V AC & 12V DC Charging Adapters
- 4 Hour Use Before Charging
- Rechargeable Lithium Ion Battery

Pkg. Type Blow Mold



Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
LED20	0 27077 07988 3	8/1	26.4 lbs	2.0



- Adjusts Up & Down and Left & Right



GENERAL TOOLS



60 LED RECHARGEABLE WORK LIGHT

- 120 Volt & 12 Volt Chargers, charges In 2 Hours
- Built In Hook For Hanging
- Shatterproof, Waterproof & Oil Resistant
- LED's Rated For 100,000 Hours Of Working Life
- 120 Lumens



Pkg. Type Brown Carton

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
LEDWL60	0 27077 06563 3	12/6	24.0 lbs	2.17

13 PIECE ASSORTMENT SANDING PADS

- 10 Pieces Sandpaper 240, 120, 60 Grit
- 1 Piece Sponge For Polishing
- 1 Piece Metal Wire Pad
- 1 Piece Scour Pad

Pkg. Type Double Blister

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
PS07260	0 27077 07260 0	120/6	56.5 lbs	9.30





GENERAL TOOLS

12 PIECE SET ROUTER BITS

- 1/4" Shank
- Carbide Tipped Steel Bits
- Precision Ground For Clean Cuts & Lasting Sharp Edges



Pkg. Type Bulk

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
RBSET12 0 27077 08720 8		20	26.0 lbs	1.5

40 PIECE SET ROUTER BITS

- REGULAR BITS:
- Straight Bit: 1/8", 1/4", 3/8", 1/2", 5/8", 3/4"
 - Dovetail Bit: 3/8", 1/2"
 - Mortising: 1/2"
 - Pattern Bit: 1/2", 15/32"
 - Core Box: 1/4", 1/2"
 - Key Hole: 3/8", 1/2"
- BEARING BITS:
- Bearing Flush Trim: 1/4", 3/8", 1/2"
 - Cove Bit: 1/8", 1/4", 1/2", 3/8"
 - 25° Chamber Bit: 3/4"
 - 45° Chamber Bit: 1/2", 5/8"
 - Rounding Over Bit: 1/8", 1/4", 3/8", 1/2"
 - Roman Ogee Bit: 5/32"



Pkg. Type Bulk

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
RBSET40 0 27077 07946 3		5	22.0	

24 PIECE SET ROUTER BITS

- Assorted Carbide Tipped Steel Bits For Slotting, Grooving,
- Rabbeting & Freehand Routing
- Precision Ground For Clean Cuts & Lasting Sharp Edges



Pkg. Type Color Label

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
PS07499 0 27077 07499 4		20/1	27.5 lbs	1.57

20 PIECE SET ROUTER BITS

- REGULAR BITS
- Dovetail Bit: 3/8", 1/2"
- Cove Box Bit: 1/2"
- Straight Bit: 1/4", 3/8", 1/2", 5/8"
- Mortising: 1/2", 90° Sign Lettering: 1/2"
- BALL BEARING BITS
- Bearing Flush Trim: 1/2"
- Bead Bit 1/4", Cove Bit: 1/4", 3/8"
- 45° Chamber Bit: 1/2"



Pkg. Type Color Label

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
RBSET20 0 27077 07945 6		10	18.6	

ELECTRIC CHAIN SAW SHARPENER

ECSSGW
4.25" Grinding
Wheel

- Mounts To Bench, Wall Or Vise
- 4200 RPM Grinding Speed
- (4600 RPM Grinding Speed 2016)
- 4-1/4" x 1/8" Grinding Wheel
- Adjusts To All Chain Designs

Pkg. Type Color Box



Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
ECSS 0 27077 06511 4		2/1	14.0	1.6
ECSSGW 0 27077 07140 5		200	35.0	1.34



18V CORDLESS GREASE GUN

- Single Speed
- 7000 PSI (482 bar)
- Flow Rate 2.82 oz / min
- Barrel Capacity:
16 oz Bulk, 14 oz Cartridge
- Rechargeable 1500 MAH
NI-CD Battery
- Includes One Battery Pack
- 31" Flexible Hose



Pkg. Type Blow Mold

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
CGGUN20	0 27077 08825 0	4/1	39.0	2.79

7 FUNCTION DIGITAL MULTIMETER

- Checks AC Or DC Readings
- Tests For Voltage, Current / Amps,
- Resistance And Live - Line Detection
- Battery & Test Leads Included



Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
MT15	0 27077 03199 7	60/6	26.0 lbs	2.24

AUTOMATIC BATTERY FLOAT CHARGER

- Output: 13.5 Volt DC, 600 mA
- Input: 110 Volts AC, 60 Hz
- Use On 12 Volt Batteries In Storage Or In Cold Weather
- 12 Volt DC, 5-125 AMP Hours



Pkg. Type Double Blister

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
BFC12	0 27077 06425 4	45/1	20.0 lbs	1.6
BFC8794	0 27077 07879 4	1/1	1.6 lbs	1.6

100 AMP BATTERY TESTER

- Test 6V or 12V batteries - Test 50A, 100A, 125A
- Check 6-12V Battery w/ Max. Capacity 1000CCA(Ah)
- 50/100/200/4000/600/800/1000 Ah Indication at Meter
- Charging Voltage: 16V Max Heavy Duty CCA Wire
- 40/60/80/Full Capacity Indicated at Meter For Remaining Power



Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
100ABT	0 27077 08231 9	4	27.5	2.91



3/8 INCH ELECTRIC VSR DRILL

- 380 Watt / 120V / 60 Hz
- 0-3,000 RPM (No-Load)
- 3/8 Inch Max Drilling
- Variable Speed
- Forward / Reverse
- Lock-On Button

Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
PS07216	0 27077 07216 7	10/1	32.0 lbs	2.72



NON-CONTACT INFRARED THERMOMETER

- Just point and shoot
- Measures Temp Range: -58°F - 626°F (-50°C -330°C)
- Backlit LCD Display with Built-in Laser Sighting

Pkg. Type Blow Mold

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
THERMNC	0 27077 07738 4	60/1	30.7	4.26



900 CFM AIR MOVER

- Size: 30 Inches x 18 3/8 Inches
- 1/3HP / 110~120V / 60Hz, 2.1 amps
- 3 Speeds: 1550 / 1300 / 1120 RPM
- Two 115V outlets / 2 AMP
- Daisy chain up to 5 units
- 10 ft. power cord

Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
AIRMOVER	0 27077 08389 7	1/1	8.8 lbs	0.745



BUFFALO



TOOLS

WAREHOUSE, MOVING SUPPLIES, SHOP EQUIPMENT & OUTDOOR PRODUCTS



EST 1964



AIRLESS PAINT SPRAYER



- 650 Watts
- AC Volts 120
- 25 ft. hose
- Max Fluid Delivery: 0.3 Gallons /min
- Working pressure (psi):
- 2200-3000 PSI
- Amperage (amps): 4.0-7.5A
- Horsepower (hp): 7/8



Pkg. Type Brown Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
APS17	0 27077 08702 4	1/1	19.8 lbs	3.18

AIR HOSE REEL

- Holds 100 Feet 3/8" Hose
Or 50 Feet 1/2" Hose
- All Heavy Gauge
Steel Construction



Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
AHREEL	0 27077 05647 1	4/1	18.0 lbs	1.45

17 PIECE AIR ACCESSORY KIT

- Includes:
- 1) Air Blow Gun
- 1) Dual Tire Chuck
- 1) Pencil Tire Gauge
- 14) Couplers & Adaptors



Pkg. Type Double Blister

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
AAKIT	0 27077 05954 0	24/12	45.0 lbs	1.30

HEAVY DUTY ALUMINUM 30" MAGNETIC SWEEPER PICKUP TOOL

- Maximum Pull Rating 50 Lbs
- Heavy Duty Construction
- 3" x 4" x 30" Aluminum Body
- Quick Release Load Lever
- Adjustable Extension Handle



Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
MPSWEEP	0 27077 09394 0	2/1	40.0 lbs	3.40

CARPET PROTECTIVE FILM 24" X 200'

- Self Adhesive Protective Film



Pkg. Type Bulk

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
CPF24200	0 27077 08638 6	1/1	5.6	0.275

STRETCH MACHINE WRAP ROLL

- Thickness: 80 gauge
- Measures 20" x 6000'
- For loads up to 2,500 lbs



Pkg. Type Bulk

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
MCHNWRAP	0 27077 08057 5	1	36.8 lbs	1.03

HAND PALLET ROLL STRETCH WRAP

- 80 Gauge
- Measures 18" x 1500 ft.
- 3.77kg film + 0.5kg core
- High level of stretch



Pkg. Type Bulk

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
HNDWRAP	0 27077 07857 2	4/1	39.0 lbs	1.51
HNDWRAP4	0 27077 08079 7	1/1	39.0	1.51
HNDWRAP80	0 27077 08349 1	1/1	820.0	40.7
HNDWRAPPLT	0 27077 08348 4	1/1	1600	67.88

1,000 Lb FURNITURE DOLLY

- 18" Wide x 12" Deep x 5" High
- 3" Swivel Caster Wheels
- Strong Wood Base



Pkg. Type Brown Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
FDOLLY182	0 27077 08368 2	8/4	54.0 lbs	2.66

1,000 Lb FURNITURE DOLLY

- 30" Wide x 18" Deep x 5" High
- 3" Swivel Caster Wheels
- Strong Wood Base



Pkg. Type Brown Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
HDFDOLLY	0 27077 05584 9	1/1	12.0 lbs	1.30
HDFDOLLY2	0 27077 08030 8	8/4	70.0 lbs	1.38

660 LB DIGITAL HANGING CRANE SCALE

- Low power consumption
- Minimum Capacity: 4 lb
- Maximum Capacity: 660 lb
- Great for farm or warehouse use, hunting or fishing



Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
DHS660	0 27077 08749 9	20/1	35.0 lbs	1.5

DRYER VENT CLEANING KIT

- Helps Remove Dryer Lint
- 4 - 36" long Flexible Nylon Rods
- 1 - 7" Auger Brush



Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
DVCK	0 27077 08798 7	6/1	15.0 lbs	2.5

1 QUART INDUSTRIAL PAINT SPRAY GUN

- Type: Suction
- Air Inlet: 1/4" N.P.T.
- Nozzle Size: 2.0 mm
- Air Compressor: 1.6 - 4.0 CFM
- Compressor Required: 2 - 3 Hp
- Operating Pressure: 50 - 70 P.S.I.




Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
PSG1Q	0 27077 00564 6	10	26.0	2.352

NON-FOGGING SAFETY GOGGLES

- Fits Over All Sizes Of Glasses
- Lightweight
- Ventilated



Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
ESG1*	0 27077 00289 8	144/12	21.0 lbs	2.7

10 INCH PNEUMATIC TIRE

- 5/8 in. Ball Bearing Bore (axel)
- 300 lbs Capacity
- Max Pressure is 30 PSI



Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
HDTIREP ✱	0 27077 05868 0	8/1	27.0 lbs	1.50

SOLID RUBBER NO FLAT TIRE

- 5/8 in. Ball Bearing Bore
- Flat Free Microcellular PU
- 300 lbs Capacity
- Wheel Width 2 7/8 inches
- 10 inch and 13 inch sizes



Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
NFTIRE10 ✱	0 27077 07961 6	10/1	37.4 lbs	2.0



DELUXE CAN CRUSHER

- Heavy Gauge Steel Plate Construction
- Large Cushion Handle Grip
- Includes Bottle Opener

Pkg. Type Color Sleeve



Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
CNCRSH ✱	0 27077 04652 6	12/1	25.0 lbs	1.50

INDOOR/OUTDOOR CONVEX MIRROR 24"

- PMMA Material Lens: Poly (methyl methacrylate) which is a clear plastic acrylic
- Plastic Frame
- Hanging Hardware included
- Assembled: 4" Deep x 23.5" Wide



Pkg. Type Brown Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
IOCM24	0 27077 08243 2	1/1	8.0 lbs	1.62





BLACK BULL

BENCH GRINDERS, HYDRAULIC JACKS & AUTOMOTIVE PRODUCTS





AUTOMOTIVE ACCESSORIES

20 TON

AIR BOTTLE JACK

- 40" Hose w/1/4" NPT Fitting Included
- Lifting Range: 10 3/8" - 20" (With Screw Extended 3")
- Base Dimensions: 8 - 3/4" x 5 - 1/4"
- Two Way Operation: Air & Manual



Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
AIRBJ20	0 27077 05806 2	1	35.3 lbs	0.6

1 TON

SCISSOR CAR JACK

- Easily Raise & Lower Jack By Turning Crank
- Includes 19.5" Cranking Handle
- Heavy Duty Metal Frame
- 3.5" - 12" Lifting Height



Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
SJ1	0 27077 07173 3	10	66.0 lbs	1.41

2 TON TROLLEY FLOOR JACK

- Heavy Gauge, Reinforced Steel Frame
- Lifting Range: 5" - 12"
- Two Rear 360° Caster Wheels



Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
FJ2	0 27077 04605 2	1	16.0 lbs	0.43

1 TON ELECTRIC CAR JACK

- Plugs In Car 12 Volt DC Power Outlet
- Fully Automatic Push Button Controller With 12 Ft Cord
- 5" - 14" Lifting Height



Pkg. Type Color Sleeve

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
EJ212	0 27077 06539 8	4/1	44.0 lbs	2.12

HYDRAULIC BOTTLE JACKS

- Solid Cast Iron Base
- Hydraulic Bypass Prevents Ram Overtravel
- Adjustable Extension Screw Cap
- Cleated (Non-Slip) Screw Cap



Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
HBJ4	0 27077 00357 4	6	40.0 lbs	0.7
HBJ8	0 27077 00359 8	3	35.0 lbs	0.5
HBJ12	0 27077 00361 1	2	32.0 lbs	0.4

12 VOLT PORTABLE DIESEL OIL

- Flow: 10.5 Gallons/min
- Pressure: 3 Bar
- Suction: 16.4 Feet



Pkg. Type Color Label

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
OP150	0 27077 08401 6	1	46.2 lbs	0.93

3 TON HYDRAULIC FLOOR JACK

- 360° Swivel Saddle
- 360° Swivel Steel Casters
- 5" - 19" Lifting Range



Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
SA20	0 27077 00371 0	1	74.0 lbs	2.2

2 TON ELECTRIC CAR JACK

- Plugs In Car 12 Volt DC Power Outlet
- Fully Automatic Push Button Controller With 12 Ft Cord
- 5" - 14" Lifting Height



Pkg. Type Color Sleeve

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
EJ412	0 27077 08804 51	4/1	48.4 lbs	2.12

636.532.9888

All products are available for **DROP SHIP** unless noted with *

10 TON MEDIUM HEIGHT JACK STAND SET OF 2

- Adjustable Height Range: 20.5" - 31.5"
- Material: Alloy Steel
- Large Saddle with Locating Lugs
- Pin Type Lock

Pkg. Type: White Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
JS10MSET	0 27077 08883 0	1/1	88.0	4.26

10 TON HIGH HEIGHT JACK STAND SET OF 2

- Adjustable Height Range: 28.75" - 46.75"
- Material: Alloy Steel
- Large Saddle with Locating Lugs
- Pin Type Lock

Pkg. Type: White Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
JS10HSET	0 27077 08884 7	1/1	110.0	7.3



6 TON JACK STAND SET OF 2

- Lifting Range: 15"-23.5"
- Ratcheting w/ Pin Lock
- Saddle Diameter: 1.25" x 4"

Pkg. Type: White Box



Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
JS6SET	0 27077 08882 3	1/1	32.0	1.55

3/4 TON UNDER HOIST STAND

- Lifting Range: 53.5"-79"
- For transmissions, engine mounts, exhaust systems

Pkg. Type: Brown Box



Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
UHSWP	0 27077 08946 2	1/1	38.5	1.32

3 TON JACK STAND SET OF 2

- Lifting Range: 11.25" - 16"
- Ratcheting w/ Pin Lock
- Saddle Diameter: 1.5" x 3.5"

Pkg. Type: White Box



Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
JS3SET	0 27077 08881 6	1/1	17.1	0.625

22 TON JACK STAND SET OF 2

- Lifting Range: 12"-20"
- w/ Pin Lock
- Height Intervals: 14", 17", 20"
- Saddle Dimensions: 2.25" x 3.5"

Pkg. Type: White Box



Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
JS22SET	0 27077 08874 8	1	74.8 lbs	1.85



AUTOMOTIVE ACCESSORIES

FOLDING 36 INCH CANVAS CREEPER

- Size: 36" L x 16" W x 4" H
- Height From Ground: 3"
- 1" Dia. Frame
- Folds 16.5" W x 18" H x 5.5" D
- 330 lbs Max Capacity



Pkg. Type Brown Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
FCCREEP36	0 27077 08366 8	1	8.0 lb	1.082



ANTI-THEFT WHEEL CLAMP LOCK

- One piece unit is adjustable to fit most tires
- Fits 7" - 11" wide tires



Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
WCL 0 27077 08897 7		1	31.4 lb	1.86



AUTOMOTIVE ACCESSORIES

DIESEL FUEL TRANSFER TANK W/PUMP

- 56 Gallon Polyethylene Tank
- Fits in the back of your truck bed



Pkg. Type Brown Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
DTP56 0 27077 08722 2		1	78.1 lb	14.6



FUEL TRANSFER PUMP WITH METER

- Fuel transfer pump delivers a true 20 GPM flow rate at the nozzle
- 7-20 GPM, 50 PSI, 3.5 bar
- DC 12V 50-55/min



Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
FPWM 0 27077 09451 0		1	37.4 lb	2.41

FUEL PUMP NOZZLE

- For Gasoline, Diesel, Biodiesel up to B20, E10, and Kerosene
- Automatic Shut Off - Reduces Mess By Preventing Overfilling & Spilling
- Hook Provides Convenient Storage



Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
FULPN 0 27077 09450 3		10	26.4 lb	2.01

2000 LB TRAILER JACK / ATV/ MOWER LIFT

- Capacity: 2,000 Lbs
- Makes hitching and adjusting quick and convenient




Pkg. Type Brown Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
TJ2 0 27077 08800 7		2/1	32.0 lbs	1.1



ACCESSORIES





120 GALLON CAPACITY ABRASIVE BLAST CABINET

- Remove Paint, Rust & Oxidation
- 125 Max. PSI @ 5-25 CFM
- Includes 4 Assorted Ceramic Nozzles, 24" Rubber Gloves, Blasting Gun, Dust Collector Port, Hopper & Screen



Pkg. Type Brown Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
SBC420	0 27077 07349 2	1	363.0 lbs	46.96

VERTICAL ABRASIVE BLAST CABINET

- Includes 4 Assorted Ceramic Nozzles, Rubber Gloves, Blasting Gun, Dust Collector, Port, Hopper & Screen
- Tank Volume: 40 Lbs
- Air Consumption: 12 CFM
- Working Pressure 40-80 PSI



Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
SBCNNS	0 27077 07556 4	1	110.2 lbs	0.91



80 GRIT ABRASIVE GARNET SAND

- Great for Paint Removal, Cleaning, Etching & Surface Preparation



Pkg. Type BULK

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
SBGARN	0 27077 07179 5	1	53.0 lbs	0.9

ACCESSORIES 90 LB GRAVITY FEED ABRASIVE BLASTER

- Heavy Duty Construction, Fusible Link, Steel Lid
- 120 Volts / 60 Hz
- 5 Gallon Tank Capacity
- Removable Shelf
- Max. Pump Output: 18 GPM



Pkg. Type Brown Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
SFSB90	0 27077 07158 0	1	19.8 lbs	3.14

50 LB CAPACITY ABRASIVE BLASTER

- 65 To 125 PSI
- 6 To 25 CFM
- Includes Ceramic Nozzle, Pressure Gauge, 8 Ft. Hose, Filling Funnel, Water Trap, 6" Rubber Wheels, & Canvas Hood



Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
SB10G	0 27077 06472 8	1	48.4 lbs	4.4

100 LB CAPACITY ABRASIVE BLASTER

- Working Pressure: 60-125 PSI
- Air Consumption: 6-25 CFM
- Includes 8 Ft. Hose, Funnel, Tape & Blasting Hood



Pkg. Type Color Label

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
SB20G	0 27077 06443 8	1	55.0 lbs	6.00

50 LB PORTABLE ABRASIVE BLASTER

- Avg Air Consumption: 2 CFM @50 PSI
- Max Pressure: 125 PSI
- Air Inlet Size: 1/4" NPTM
- Number of Nozzles: 1 Ceramic



Pkg. Type Brown Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
PAB50	0 27077 08327 9	2/1	20.0 lbs	4.05



SANDBLAST REPLACEMENT GUN

- Easy One Handed Operation
- Includes 3 Extra Nozzles
2.5mm, 3mm, 3.5mm
- Key Wrench Valve Stops Abrasive
Flow When Lever Is Released
- Air Inlet 1/4" Air Jet



Pkg. Type Double Blister

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
SBRG *	0 27077 07187 0	24	30.0 lbs	1.4

6 INCH HEAVY DUTY BENCH GRINDER

- Sharpen Blades, Bits, Chisels
- With Two Grinding Wheels (One Course/One Medium)
- 120V / 60 Hz, 1/2 HP
- Speed 3550 RPM / 1.5 AMP
- 1/2" Arbor



Pkg. Type Color Box



Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
BG6UL	0 27077 07161 0	1	27.5 lbs	0.78



PARTS WASHER PUMP

- Universal Design
 - Recirculates
4.4 GPM Of Solvent
- Submersible Use Only
 - 120V / 60 Hz
 - 0.23 AMP

Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
PWP20	0 27077 07186 3	32	57.0 lbs3	.2
PWP40	0 27077 07185 6	32	57.0 lbs3	.2

ACCESSORIES

3/8"NPT & 1/4" NPT FILTER 3-IN-1 COMBO FILTER REGULATOR WITH GAUGE

- Air Filter, Regulator and Lubricator
- Continuously Lubricated
- 3/8" NPT Port with reducer for 1/4" NPT
port included



Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
AFPR3814 *	0 27077 08712 3	10/1	33.0 lbs	1.6

SANDBLAST REPLACEMENT FILM

- Replacement Film Sheets For Blast Cabinet Windows
- For DIY & Home Shop Use
- 5 Pieces Per Package
21-1/2" x 10"



Pkg. Type Color Label

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
SBFM1210 *	0 27077 07189 4	60	36.0 lbs	3.5

ABRASIVE ALLOY REPLACEMENT PAD



Pkg. Type Skin Card

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
SBPAD *	0 27077 07184 9	120	8.0 lbs	1.0

4 PIECE REPLACEMENT NOZZLES



Pkg. Type Skin Card

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
SBRN4A *	0 27077 07183 2	120	13.0 lbs	1.8



ACCESSORIES

A-FRAME SHOP PRESS 6 TON

- Operating Distance: 50mm - 110mm
- Stroke: 130mm



Pkg. Type Brown Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
PRESSA6T	0 27077 07577 9	1	52.8 lbs	0.57

2 INCH TIRE PRESSURE GAUGE W/ DEFLATORS SET

- 0-80 PSI Pressure Range
- 1 x Tire Pressure Gauge
- 4 x Brass Deflation Valves
- 4 x Plastic Valve Caps
- 4 x Steel Valve Caps



Pkg. Type Double Blister

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
TPGDSET	0 27077 08515 0	20/1	39.2	1.42

HEAVY DUTY CHAIN HOISTS

- Heavy Duty Construction
- 1/4" Hardened Steel Chain
- 1 Ton Max Lift 8'
- 2 Ton Max Lift 8'
- 3 Ton Max Lift 8'



Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
CHOI1	0 27077 00383 3	1	18.0 lbs	0.3
CHOI2	0 27077 05137 7	1	25.0 lbs	0.3
CHOI3	0 27077 05732 4	1	41.0 lbs	0.5

AUTOMOTIVE DIGITAL TIRE INFLATOR PUMP

- For Car, Truck, SUV, Motor Bike Tires, and Air Mattresses and Sports Inflatables Like Basketballs, Bikes, Rafts and Beach Balls



Pkg. Type White Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
ADTIP	0 27077 08374 3	16	41.8 lbs	0.85

14 FOOT UTILITY CHAIN

- 5/16" x 14 Foot Grade 43
- Clevis Hooks At Both Ends
- Working Load 3900 Lbs
- Breaking Load 9700 Lbs
- Proof Test Load 4900 Lbs




Pkg. Type Blow Mold

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
TOW14	0 27077 03609 7	3	43.0 lbs	.77

12 VOLT AIR COMPRESSOR PORTABLE AIR PUMP

- Direct Drive 12v Motor Powered From Car Battery
- Power: 360 Watts (Max 420 Watts)
- 8 Foot Cord With Battery Clamp
- PU Hose: 16 Foot
- Quick Connect
- Amp: 30



Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
AC150	0 27077 08378 1	4	37.0 lbs	3.23



PRO-SERIES
By Buffalo Tools®



SCAFFOLDING, WELDING, SHOP EQUIPMENT & CONSTRUCTION PRODUCTS

