



SCAFFOLDING PRODUCTS



BUILD YOUR OWN INTERIOR SCAFFOLD TOWER SYSTEM

SINGLE HEIGHT SCAFFOLD IS A MUST-HAVE FOR ALL HOME IMPROVEMENT JOBS.

WITH A WEIGHT CAPACITY OF 1,000 LBS, IT SUPPORTS YOUR PAINT AND TOOLS!



- 1/2" Deck w/Steel Frame
- 1,000 lb Load Capacity
- Meets OSHA and ANSI scaffolding regulations
- Powder Coat Paint Finish
- Can Be Stacked Up To 3 High
- Interior Or Exterior Use

GSSI Unit includes 4 pieces of 5" Swivel Castors



Pkg. Type Color Label

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
GSSI	0 27077 05626 6	1/1	141.0 lbs	8.95

636.532.9888

All products are available for **DROP SHIP** unless noted with *

ASSEMBLY IS EASY AND CAN BE ACCOMPLISHED BY ONE PERSON

FOLLOW THESE SIMPLE INSTRUCTIONS AND YOUR SCAFFOLD WILL BE UPRIGHT IN MINUTES!



1 ATTACH CASTERS TO FRAME



2 ALIGN FRAME AND SIDE BRACE



3 ATTACH SIDE BRACE



4 LOCK SIDE BRACE



5 INSERT WALKBOARD

MAX POSSIBLE REACH 23 FEET



TRIPLE HEIGHT

MAX POSSIBLE REACH 18 FEET



DOUBLE HEIGHT

TRIPLE & DOUBLE HEIGHT SCAFFOLD

To Build TOWERINT3 or TOWERINT, you will need:

- A) 2 or 3 each GSSI 6' Multi-Use Scaffolding
- B) 1 each GSGRSU Scaffolding Guard Rail System
- C) 1 each GSAOSET 4 Piece 18" Outrigger Set
- D) 8 each GSSI-C5 5" Swivel Castors

Pkg. Type Color Label

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
TOWERINT3	0 27077 08460 3	1/1	566.0	56.7
TOWERINT	0 27077 07099 6	1/1	434.0	47.2

636.532.9888

All products are available for **DROP SHIP** unless noted with *

OUTRIGGERS 4 PIECE SET W/CASTERS



- Extends The Width Of The Base
- Up to 18" with casters extended

Pkg. Type Brown Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
GSORWCS	0 27077 08207 4	1	46.2	2.63

ADJUSTABLE OUTRIGGERS 4 PIECE SET



- Adjustable 18 Inch Extension
- 9 settings: 20"-33"

Pkg. Type Brown Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
GSAOSET	0 27077 08429 0	1	38.0	1.8

GUARD RAIL SAFETY SYSTEM WITH DOOR

- Powder Coat Paint Finish
- Size: 69 1/2" L x 42 1/2" H x 28 1/2" W



Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
GSGRSU0	27077 07659 2	1/1	63.8 lbs	4.90

SWIVEL CASTERS 5 INCH

- For GSORSET
- Dual Locking
- Non-Marring



Pkg. Type Bulk

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
GSSI-C5	0 27077 05920 5	8/1	26.0 lbs	0.529
GSSI-C54P	0 27077 09424 4	1/1	13.6 lbs	0.54

BUILD YOUR OWN EXTERIOR SCAFFOLD TOWER SYSTEM

5 FT X 5 FT SCAFFOLD FRAME

- 1-5/8" Outside Diameter (1-3/8" I.D.)
- Powder Coat Paint Finish
- Heavy Duty Steel Construction
- Gravity Brace Locks

Pkg. Type BULK

(1)




Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
GSF55	0 27077 05622 8	1/1	42.0 lbs	4.0

7 FT CROSS BRACE

- Heavy Duty Angle Iron
- Powder Coat Paint Finish

Pkg. Type BULK

(2)



Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
GSCB7	0 27077 05623 5	6/1	14.0 lbs	2.0

31 INCH ADJUSTABLE STEM JACK

- 24" Threaded Adjustment
- Galvanized Finish

Pkg. Type BULK

(3)




Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
GSASJ *	0 27077 05625 9	1/1	12.5 lbs	0.65
GSASJ-4	0 27077 07507 6	1/1	48.0 lbs	

4 PIECE CONNECTOR PINS

- 2-1/2" Length
- Attached Locking Latch

Pkg. Type BULK

(4)



Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
GPSIN *	0 27077 05874 1	72/12	36.0 lbs	0.77



WALK BOARDS

- Aluminum or Wood Non Slip Deck
- 750 Lb Load Capacity

Pkg. Type BULK

Replaceable Hooks

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
GSWDB	0 27077 05930 4	1/1	29.0	2.37
GSAPB	0 27077 05929 8	1/1	30.0	2.8



- Mobile Units Require Casters
- Stationary Units Require Plain Base Plate
- Connector Pins Required with Base Plate & Casters
- Adjustable Stems Jack Required When Using
- Plain Base Plate Or Casters

5




636.532.9888

All products are available for **DROP SHIP** unless noted with *

5" X 5" PLAIN BASE PLATE

- For Stationary Scaffold Units
- 4" High Stem, 1/2" Hole
- Galvanized Finish
- Weight - 2.5 Lbs Each

- Add A Stem Jack For Adjustable Height (Requires Connector Pin)



Pkg. Type BULK


(6)

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
GSBP	0 27077 05873 4	20/1	39.0 lbs	1.70
GSBP4	0 27077 07508 3	1	15.9 lbs	1.08

8 INCH HEAVY DUTY CASTER

- For Mobile Scaffold Units
- 800 Lb. Load Capacity
- 8" x 2" Non Marking Wheel
- 1-3/8" Stem, 1/2" Hole
- Dual Locking With Foot Brake
- Weight - 12.5 Lbs Each

- Add A Stem Jack For An Adjustable Caster (Requires Connector Pin)



Pkg. Type BULK

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
GSC8	0 27077 05624 2	4/1	50.0 lbs	0.80

5 FT / 7 FT GUARD RAILS



Pkg. Type BULK

(8)

(9)

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
GSGR5 *	0 27077 05932 8	1/1	4.0 lbs	0.04
GSGR5-4	0 27077 07705 6	1/1	20.0 lbs	0.04
GSGR7 *	0 27077 05933 5	1/1	5.0 lbs	0.07
GSGR7-4	0 27077 07704 9	1/1	20.0 lbs	0.07

40 INCH GUARD POST


- Powder Coat Paint Finish
- 1-3/8" Interior Diameter
- Weight - 8 lbs Each

(10)


Pkg. Type BULK

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
GSGP	0 27077 05931 1	1/1	8.0 lbs	0.10

CONFIGURE YOUR SCAFFOLD TO MEET YOUR NEEDS



EXT102105
10' x 21' x 5' Tower



TOWER3
Three Story Tower w/Casters



TOWER3A
Three Story Tower - Stationary



TOWEREXTA
Two Story Tower - Stationary



TOWEROUT 16' x 7' x 5'
Two Story Tower w/ Casters



GSF575C
One Story Tower w/ Casters



GSF575B
One Story Tower w/ Base Plate



SCAFFOLDING PRODUCTS

